



Accreditation Scope

MITRA SK INSPECTION GULF LLC-RAK, NAL 252
Testing Laboratory, (ISO/IEC 17025:2017)

Unit No.: 1, Glilah Zone, Sheikh Saqr Bin Muhammad Al Qasimi Street, Ras Al Khaimah, United Arab Emirates., Ras Al-Khaimah, United Arab Emirates

Issue Date: 02/06/2026

Expiry Date: 01/06/2029

Issue No: 1

Testing Field	Materials/ Products Tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Chemical	LIMESTONE	LOSS ON IGNITION (LOI)	IS 1760 (PART 1):1991, RA 2022	P
Chemical	LIMESTONE	SILICON DIOXIDE (SiO ₂)	IS 1760 (PART 2):1991, RA 2022	P
Chemical	LIMESTONE	CALCIUM OXIDE (CaO)	IS 1760 (PART 3):1992, RA 2022 , SOP TPM/MSK/UAE/1/E Rev. 02 dated 30-01-2026	P
Chemical	LIMESTONE	MAGNESIUM OXIDE (MgO)	IS 1760 (PART 3):1992, RA 2022	P
Chemical	LIMESTONE	ALUMINIUM OXIDE (Al ₂ O ₃)	IS 1760 (PART 3):1992, RA 2022, SOP TPM/MSK/UAE/1/D Rev. 02 dated 30-01-2026	P

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



Accreditation Scope

MITRA SK INSPECTION GULF LLC-RAK, NAL 252
Testing Laboratory, (ISO/IEC 17025:2017)

Unit No.: 1, Glilah Zone, Sheikh Saqr Bin Muhammad Al Qasimi Street, Ras Al Khaimah, United Arab Emirates., Ras Al-Khaimah, United Arab Emirates

Issue Date: 02/06/2026

Expiry Date: 01/06/2029

Issue No: 1

Chemical	LIMESTONE	IRON OXIDE (Fe ₂ O ₃)	SOP TPM/MSK/UAE/1/C Rev. 02 dated 30-01-2026 based on ASTM C25-19	P
Chemical	DOLOMITE	LOSS ON IGNITION (LOI)	IS 1760 (PART 1):1991, RA 2022	P
Chemical	DOLOMITE	SILICON DIOXIDE (SiO ₂)	IS 1760 (PART 2):1991, RA 2022	P
Chemical	DOLOMITE	CALCIUM OXIDE (CaO)	IS 1760 (PART 3):1992, RA 2022	P
Chemical	DOLOMITE	MAGNESIUM OXIDE (MgO)	IS 1760 (PART 3):1992, RA 2022	P
Chemical	DOLOMITE	ALUMINIUM OXIDE (Al ₂ O ₃)	IS 1760 (PART 3):1992, RA 2022, SOP TPM/MSK/UAE/1/D Rev. 02 dated 30-01-2026	P
Chemical	DOLOMITE	IRON OXIDE (Fe ₂ O ₃)	SOP TPM/MSK/UAE/1/C Rev. 02 dated 30-01-2026 based on ASTM C25-19	P
END				

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.



هذه الشهادة صدرت إلكترونياً ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.